

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

SDMS Document



67732

11 OCT 1985

Bob Soboleski
 Hazardous Site Mitigation Administration
 New Jersey Department of
 Environmental Protection
 428 E. State Street
 Trenton, New Jersey 08625

Re: SCP Carlstadt

Dear Mr. Soboleski:

Enclosed is a copy of the signed Administrative Order on Consent for the performance of an RI/FS at the SCP Carlstadt site. As you will notice, 107 of 140 Responsible Parties signed the Order on Consent; a unilateral Order will be issued shortly to the other 33 parties.

Also, I have just received a revised Draft Work Plan for the RI/FS. Please note that Dames & Moore has changed the monitoring well Strategy. Specifically, instead of the 5 deep and 5 shallow wells previously proposed, the plan now calls for 3 deep wells, 7 shallow wells and 4 piezometers. This was approved by EPA's geologist, Grant Kimmel, during our meeting here on September 20, 1985.

Also, the schedule has been trimmed down according to EPA's comments. Please let me know if you have any problems with the revised Work Plan, as the Steering Committee intends to begin soliciting bids on the work early next week.

Sincerely yours,

Janet C. Feldstein, Environmental Engineer
 New Jersey Investigation & Compliance Section

Enclosure

cc: Bill Buchanan (w/encl.)
 New Jersey Department of
 Environmental Protection
 Bureau of Site Operations

003111

ERR	
SYMBOL	
SURNAME	
DATE	
EPA Form 1	

S:10/10/85

INCURRENCES					

OFFICIAL FILE COPY